

The Quadratic Formula

$$ax^2 + bx + c = 0$$

David

The L^AT_EX Project

2025-12-06

Completing the Square

First, complete the square

- $ax^2 + bx + c = 0$

Completing the Square

First, complete the square

- $ax^2 + bx + c = 0$

- $x^2 + \frac{b}{a}x + \frac{c}{a} = 0$

Completing the Square

First, complete the square

- $ax^2 + bx + c = 0$

- $x^2 + \frac{b}{a}x + \frac{c}{a} = 0$

- $x^2 + \frac{b}{a}x + \left(\frac{b}{2a}\right)^2 = -\frac{c}{a} + \left(\frac{b}{2a}\right)^2$

Completing the Square

First, complete the square

- $ax^2 + bx + c = 0$

- $x^2 + \frac{b}{a}x + \frac{c}{a} = 0$

- $x^2 + \frac{b}{a}x + \left(\frac{b}{2a}\right)^2 = -\frac{c}{a} + \left(\frac{b}{2a}\right)^2$

- $\left(x + \frac{b}{2a}\right)^2 = -\frac{c}{a} + \left(\frac{b}{2a}\right)^2$

Solve for x

Now, solve for x

- $(x + \frac{b}{2a})^2 = -\frac{c}{a} + (\frac{b}{2a})^2$

Solve for x

Now, solve for x

- $(x + \frac{b}{2a})^2 = -\frac{c}{a} + (\frac{b}{2a})^2$

- $x + (\frac{b}{2a}) = \pm\sqrt{-\frac{c}{a} + (\frac{b}{2a})^2}$

Solve for x

Now, solve for x

- $(x + \frac{b}{2a})^2 = -\frac{c}{a} + (\frac{b}{2a})^2$

- $x + (\frac{b}{2a}) = \pm \sqrt{-\frac{c}{a} + (\frac{b}{2a})^2}$

- $x = -(\frac{b}{2a}) \pm \sqrt{-\frac{c}{a} + (\frac{b}{2a})^2}$

Solve for x

Now, solve for x

- $(x + \frac{b}{2a})^2 = -\frac{c}{a} + (\frac{b}{2a})^2$

- $x + (\frac{b}{2a}) = \pm\sqrt{-\frac{c}{a} + (\frac{b}{2a})^2}$

- $x = -(\frac{b}{2a}) \pm \sqrt{-\frac{c}{a} + (\frac{b}{2a})^2}$

- $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

The Quadratic Formula

The solution of the quadratic equation.

$$ax^2 + bx + c = 0$$

where a is non-zero, is given by the formula

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$